### CAM PRO FOAMING 62 % ALCOHOL HAND SANITIZER

#### SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

Product Name	: CAM PRO FOAMING 62 % ALCOHOL HAND SANITIZER	
Product Code Recommended use Product dilution information	<ul> <li>47390</li> <li>Hand Sanitizer</li> <li>Product is sold ready to use.</li> </ul>	
Company	: Kandel and Son 155 Dupont Street Plainview, NY 11803	
Phone	: 1-516-931-4455	
Emergency Phone	: Chemtrec; 1-800-424-9300	
Issuing date	: 01/19/2021	

### SECTION 2 – HAZARD(S) IDENTIFICATION

GHS Classification	
Flammable liquids Eye irritation	: Category 3 Category 2B :
GHS Label Element Hazards pictograms	
Signal Word	: Warning
Hazard Statements	: Flammable liquid and vapor. Causes eye irritation.
Precautionary Statements	<ul> <li>Prevention:</li> <li>Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed Response:</li> <li>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. Storage:</li> <li>Store in a well-ventilated place. Keep cool.</li> <li>Disposal:</li> <li>Dispose of contents/container to an approved waste disposal plant.</li> </ul>

### SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

: Mixture

Pure substance/mixture

## CAM PRO FOAMING 62 % ALCOHOL HAND SANITIZER

Hazardous components:

Chemical Name	CAS-No.	Concentration (%)
SDA 40-B ALCOHOL	64-17-5	60- 65

In case of eye contact	<ul> <li>Flush eyes under eyelids with plenty of cool water for at least 15 minutes. I irritation persists, seek medical/advice attention.</li> </ul>
In case of skin contact	: If irritation persists, wash with water.
If ingested	: Contact a physician or Poison Control Center immediately. Do not induce vomiting never give anything by mouth to an unconscious person.
If inhaled	: Get medical attention if symptoms occur.
Protection of first-aiders	: No special precautions are necessary.
Notes to physicians	: Treat symptomatically.
SECTION 5 – FIRE-FIGHTING	MEASURES
Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, dry chemical or carbon dioxide are suitable.
Unsuitable extinguishing media	: High volume water jet may spread the flames
Specific hazards during firefighting	<ul> <li>Fire Hazard.</li> <li>Keep away from heat sources of ignition.</li> <li>Flash back possible over considerable distance.</li> <li>Beware of vapors accumulating to form explosive concentrations.</li> <li>Vapors can accumulate in low areas.</li> </ul>
Hazardous combustions products	: Carbon oxides
Special protective equipment for fire-fighters	: Use personal protective equipment. Wear self-contained breathing apparatus.
Specific extinguishing methods	: Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion, do not breather

Personal precautions	:	Remove all sources of ignition. Ensure clean-up is conducted by trained
		personnel only. Refer to protective measures listed in Section 7 and 8.
Environmental precautions	:	Do not allow contact with soil, surface or ground water.
Methods of cleaning up	:	Eliminate all ignition sources if safe to do so. Stop leak if safe to do so.
		Contain spillage, and then collect with non-combustible absorbent material
		(e.g., sand earth, diatomaceous earth, vermiculite) and place in container

### CAM PRO FOAMING 62 % ALCOHOL HAND SANITIZER

for disposal according to local, state, and federal regulations (See Section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7 - HANDLING	AND STORAGE
Handling	: Avoid contact with eyes. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Keep away from fire, sparks and heated surfaces. Wash hands thoroughly after handling. Use only with adequate ventilation.
Storage	: Keep away from heat and sources of ignition. Keep in a cool, well- ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
Storage temperature	: 0 degree C to 45 degree C

### SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Ingredients with workplace control parameters.

		Form of	<b>Permissible</b>	
Ingredients	CAS-No.	Exposure	<b>Concentration</b>	<u>Basis</u>
Ethyl alcohol	64-17-5	STEL	1000 ppm	ACGIH
Ethyl alcohol	64-17-5	PEL	1900 mg/m3	OSHA

Engineering measures	:	Good general ventilation should be sufficient to control workers exposure to airborne contamination.
Personal protection		
Eyes	:	Eye protection should be used when splashing may occur.
Hands	:	No protective equipment is needed under normal use.
Skin	:	No protective equipment is needed under normal use.
Respiratory	:	No protective equipment is needed under normal use.

#### SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

### SECTION 10 - STABILITY AND REACTIVITY

### CAM PRO FOAMING 62 % ALCOHOL HAND SANITIZER

Stability	:	The product is stable under normal conditions.
Possibility of hazardous	:	No dangerous reaction is known under conditions of normal use.
reactions		
Conditions to avoid	:	None known.
Incompatible materials	:	None known.
Hazardous decomposition	:	Carbon oxides
products		

#### SECTION 11 – TOXICOLOGICAL INFORMATION

Information on likely routines of exposure	:	Inhalation, eye contact, skin contact.
Potential Health Effects		
Eyes	÷	Cause of irritation.
Skin	÷	Health injuries are not known or expected under normal use.
Ingestion	÷	Health injuries are not known or expected under normal use.
Inhalation	÷	Health injuries are not known or expected under normal use.
Chronic exposure	:	Health injuries are not known or expected under normal use.
Experience with Human Expo	sure	
Eye contact	:	Redness, irritation.
Skin contact	:	No symptoms known or expected.
Ingestion	:	No symptoms known or expected.
Inhalation	:	No symptoms known or expected.
Toxicity		
5		Aquita taviaitu actimatau x E 000 mallua
Acute oral toxicity	÷	Acute toxicity estimate: >5,000 mg/kg No data available
Acute inhalation toxicity	:	
Acute dermal toxicity	÷	Acute toxicity estimate: >5,000 mg/kg
Skin corrosion/irritation	÷	No data available
Serious eye damage/eye	:	Mild eye irritation.
irritation		
Respiratory or skin	:	No data available.
sensitization		
Carcinogenicity		
IARC	:	No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC.
OSHA	:	No ingredient of this product presents at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	:	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### SECTION 12 – ECOLOGICAL INFORMATION

Ecological Tests	:	Data is not available.
Environmental Impact	:	The product ingredients are expected to be safe for the environment at the

### CAM PRO FOAMING 62 % ALCOHOL HAND SANITIZER

concentrations predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid waste management practices.

#### SECTION 13 – DISPOSAL CONSIDERATIONS

Disposal methods	:	The product should not be allowed to enter drains, water courses or the soil. When possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.	
Disposal considerations	:	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse empty containers.	
RCRA – Resource Conservation and Recovery Act	:	D001 (Ignitable)	

### **SECTION 14 – TRANSPORT INFORMATION**


Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes. The shipper / consignor / sender are responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport. May ship via ground as a Limited Quantity under US DOT regulations in individual volumes of 5 liters or less and a gross package weight of less than 66#.

Shipment	Identification Number	Proper Shipping Name	Hazardous Classification	Packaging Group
US DOT	UN1170	ETHANOL SOLUTIONS	3	III
IATA (Air)	UN1170	ETHANOL SOLUTIONS	3	III
IMDG (Vessel)	UN1170	ETHANOL SOLUTION	3	lli

#### SECTION 15 – REGULATORY INFORMATION

#### **U.S. Federal regulations**

TSCA (Toxic Substances Control Act):	:	All ingredients in this product are either listed, or exempt from listing, on the TSCA Inventory.
CERCLA (Comprehensive Response Compensation, and Liability Act)	:	Not Determined



The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.